

## CERTIFICATE OF ANALYSIS No.: 2026-18456

### CLIENT

MEDMAX d.o.o., Cesta Ljubljanske brigade 9A  
1000 Ljubljana, Slovenija



### SAMPLE \*

Wetality No.03, 30ml

Sample condition: SUITABLE  
Sample ID: 2622018  
Sample type: Viscous liquid  
Batch No.: \*

Work order: 2026-113370  
Analysis ID: 2026\_156  
Method ID: PHL\_RPC\_16C  
Method SOP: MET-LAB-001-08

Sample received: 28/05/2026  
Start of analysis: 28/05/2026  
End of analysis: 29/05/2026  
Analyst: Valentina Malin

\* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
<b>CBDV</b> - Cannabidivarin	0.189	0.034	
<b>CBDA</b> - Cannabidiolic acid	1.211	0.061	
<b>CBGA</b> - Cannabigerolic acid	0.083	0.025	
<b>CBG</b> - Cannabigerol	0.284	0.071	
<b>CBD</b> - Cannabidiol	9.03	0.45	
<b>THCV</b> - Tetrahydrocannabivarin	< LOQ	n/a	
<b>CBN</b> - Cannabinol	0.226	0.038	
<b>Δ<sup>9</sup>-THC</b> - Δ-9-Tetrahydrocannabinol	< LOQ	n/a	
<b>Δ<sup>8</sup>-THC</b> - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
<b>CBL</b> - Cannabicyclol	< LOQ	n/a	
<b>CBC</b> - Cannabichromene	0.094	0.021	
<b>Δ<sup>9</sup>-THCA</b> - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
<b>CBV</b> - Cannabivarin	< LOQ	n/a	
<b>CBCA</b> - Cannabichromenic acid	< LOQ	n/a	
<b>CBT</b> - Cannabicitran	0.246	0.042	
<b>CBE</b> - Cannabielsoin	0.135	0.031	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor  $k = 2$ , corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

29/05/2026

Approved by:

mag. Valentina Malin  
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar  
Chief Technology Officer

End of Certificate